



*The most advanced wireless security system
completely Made in Italy.*

D'AVINCI
security products

CATALOGUE 2026



Made in Italy

THE ITALIAN GENIO AT THE SERVICE OF SAFETY

D'AVINCI is the advanced, completely wireless security system created by the Italian anti-intrusion masters.

The D'AVINCI anti-theft system was born in Italy. Italian technology and design have their roots in a history of ancient inventiveness and creativity.

•X• GENIO *The innovative radio protocol*

The **thirty years experience** gained by the founders of the D'AVINCI system in radio telecommunications systems, together with the knowledge of digital and security techniques, has allowed us to obtain high standards of **speed**, **efficiency** and **reliability**.

The **GENIO D'AVINCI PROTOCOL** allows connections between the control panel and the system's peripheral devices, guaranteeing **speed** and **security**, on 868 MHz band frequencies.

SAFETY

Communications encrypted using a proprietary algorithm

BIDIRECTIONALITY

Two-way radio communications

PROTECTION

Automatic free channel search

CAPACITY

Up to 200 connectable devices

HIGH RADIO RANGE

Up to 1500 meters

RANGE EXTENSION

Up to more than 3000 meters

BATTERY AUTONOMY

Energy saving system



Lisa

Wireless Control
Panel 868 MHz

CODE **D1.001**
PRICE **€ 599,00**

Wireless alarm control panel 868 MHz built on **GENIO** radio communication protocol, with 4G LTE communicator, WIFI + Ethernet and integrated video module. User management and technical parameter programming through **D'AVINCI App** via **D'AVINCI Cloud** with device pairing by **QR Code** scanning.

- Power supply 230 Vac or 12 Vdc
- **Built-in** rechargeable **backup battery**
- **Elegant and modern design** ABS container and functioning signalling LEDs
- **Easy-fix** mounting bracket for a **quick installing**
- **Video sensor** management
- Up to **200 connectable wireless devices**, up to **200 users**
- Up to **5 connectable repeaters**
- **Alarm signalings** through **notification** on the **D'AVINCI App** and through **Speech/SMS** via cellular network

Lisa nW

Wireless Control Panel 868 MHz
without WIFI module

CODE **D1.002**
PRICE **€ 495,00**

D'AVINCI base Kit



CODE **D6.001**
PRICE **€ 739,00**

1 Lisa + 1 Globo
+ 1 Nibbio + 1 Evo



CODE **D6.003**
PRICE **€ 895,00**

1 Lisa + 1 Globo CAM
+ 1 Nibbio + 1 Evo

CODE **D6.002**
PRICE **€ 630,00**

1 Lisa nW + 1 Globo
+ 1 Nibbio + 1 Evo

Globo

Wireless indoor volumetric
infrared detector 868 MHz

CODE

GLOBO **D2.003**

PRICE **€95,00**

Globo+

Wireless indoor **DT (IR + MW)**
volumetric detector 868 MHz

CODE

GLOBO+ **D2.004**

PRICE **€139,00**



- Range up to **12 meters**
- Fresnel lens with **9 horizontal beams** for 90° and **4 vertical beams**
- **Antimask** active on IR for lens blinding
- **Anti-tampering** and **anti-opening**
- **Immune PET** function
- **Two-level** programmable **detection sensitivity**
- Optional **joint** for **wall** or **ceiling** installation
- **Easy-fix** mounting bracket for a **quick installing**
- Battery: CR123A - 3V **included**
- Battery life **up to 5 years**

- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**,
device pairing with **QR code scanning**

Globo with junction

Wireless indoor volumetric
infrared detector 868 MHz

GLOBO with junction **D2.023**
PRICE **€ 135,00**

Globo+ with junction

Wireless indoor **DT (IR + MW)**
volumetric detector 868 MHz

GLOBO+ with junction **D2.024**
PRICE **€ 178,00**





Nibbio

Wireless indoor **opening detector**
for doors and windows

CODE

NIBBIO WHITE D2.007

NIBBIO BLACK D2.017

PRICE € 65,00

Nibbio+

Wireless indoor **impact/opening detector**,
for doors and windows and **inclinometer**


CODE

NIBBIO+ WHITE D2.008

NIBBIO+ BLACK D2.018

PRICE € 95,00

- Input for external magnetic contact
- Input for auxiliary contact
- LED status indicator
- Anti-tampering and anti-opening
- Programmable sensitivity detection via App
- Easy-fix mounting bracket for quick installing
- Battery : CR123A - 3V included
- Two color variants: White or Black
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**,
device pairing with **QR code scanning**



CODE **D1.005**
PRICE **€75,00**

Verso

Wireless universal transmitter. It allows you to associate third-party sensors, equipped with output contacts NC or NO to the **D'AVINCI** system. It transmits alarm, intrusion, fire, sos, panic, gas, malfunction, flooding and custom signals.

- ON/OFF button
- Signalling **LED indicator**
- Provides a 3.3 V supply voltage to the sensor
- Alarm and tamper terminal inputs
- Battery: 3 batteries CR123A - 3V **included**
- Dimensions: 96x39x24
- **GENIO** radio protocol

Evo

Wireless remote control with 4 keys

- Active **LED indicators** and **command confirmation**
 - Preset **arm/disarm keys**
- Configurable keys for **panic/robbery**
 - **GENIO** radio protocol
 - Battery CR2032 - 3V **included**
- Parameter configuration through **D'AVINCI App via Cloud**



CODE **D4.004** | **PRICE** **€65,00**



Astro

Indoor curtain detector

Wireless **indoor DT (IR+MW)** detector with **curtain effect**. Ideal for perimeter protection of hallways, doors and windows.

- Range up to **12 meters 15°**
- Installation height **2.1 meters**
- **Antimask active on IR** for lens blinding
- **Two level IR configuration**, alarm signalling **LED**
- **MW sensitivity** programmable via **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for **quick installation**
- Battery: CR123A - 3V **included**
- IP40
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

CODE D2.005
PRICE €199,00

Velo



Indoor and outdoor wireless DT curtain effect detector (IR + MW) for doors and windows.

- Range up to **3 meters** (with installation height of **2.3 m**)
- Horizontal installation on upper jamb, door and/or window
- **Antimask active on IR** sensitivity programmable by app
- **Anti-jammer, anti-tampering** and **anti-tear MEMS**
- **Easy-fix** mounting bracket for **quick installation**
- Battery : CR123A - 3V **included**
 - **IP55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

CODE D2.013 | PRICE €170,00

Wireless **outdoor DT (2IR + MW)** curtain effect detector.
Ideal for external perimeter protection of hallways, doors, windows and gates.

- Range up to **12 meters** 15°
- Installation height **2.1 meters**
- **Antimask** active on IR for lens blinding
- **Two level IR configuration**, alarm signalling LEDs
- **MW sensitivity** programmable by **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for **easy installation**
- batteries: CR123A - 3V 2 **included**
- **Immune PET** function with 1.2 meter installation
- **IP55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device **pairing with QR code scanning**

CODE D2.006

PRICE € 255,00



Vitruvio

Outdoor curtain detector



Atlantico

Wireless outdoor volumetric detector

Wireless outdoor **DT (2IR+MW) volumetric** detector. Ideal for the protection of outdoor areas such as gardens, terraces, garages, etc.

- Range up to **12 meters 90°**
- Installation height **1.2 meters**
- **Antimask** active on IR for lens blinding
- **Two level IR configuration**, alarm signalling leds
- **MW sensitivity** programmable by **D'AVINCI App**
- **Anti-tampering** and **anti-opening**
- **Easy-fix** mounting bracket for **quick installation**
- Batteries: CR123A - 3V 2 **included**
- **Immune PET** function
- **IP55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device **pairing with QR code scanning**

CODE **D2.002**
PRICE **€ 299,00**

Globo Cam

Indoor **volumetric IR** detector with integrated camera (automatic day/night) for **photo-verification** function. Installation height to 2.1 m.
Antimask active on IR. Fresnel lens: 4 vertical beams and 9 horizontal beams that cover up to 90°.

- Range up to **12 meters**
- It **sends photo-alarm on D'AVINCI App** (up to 5 images at 320 x 240 px; up to 3 images 640 x 480 px)
- **Anti-tampering** (anti-tear and anti-opening)
- **Immune PET function**
- Camera Viewing Angle: 92° Horizontal, 70° Vertical
- Infrared illuminator for night vision
- Power supply: 2 lithium batteries CR123A-3V
- Batteries life **up to 5 years**
- Dimensions 66x143x62 mm
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**



CODE **D2.010**
PRICE **€219,00**



Visus outdoor

CODE **D2.011**
PRICE **€ 399,00**

Wireless outdoor volumetric **DT(2IR+MW+CAM)** video detector with integrated camera.

Automatic day/night mode via IR-Cut filter.

Video verification function: it sends up to 5 **photoalarms** through **D'AVINCI App** and also on request (up to 5 images at 320 x 240 px; up to 3 images 640 x 480 px).

- Range up to **12 meters** adjustable via mechanical slider
- Viewing angle 110° in horizontal and 70° vertical
- Infrared illuminator for night vision
- **PIR anti-blinding**
- **Immune PET** function
- Batteries: CR123A - 3V 4 **included**
- **IP 55**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**



Dama outdoor

Outdoor wireless Siren

Variations flashing:

Red | **CODE D3.005** | PRICE €239

Blue | **CODE D3.006** | PRICE €239

Dama indoor

Indoor wireless Siren

CODE D3.002

PRICE €159,00

- ABS container with **essential and elegant** aesthetic lines suitable for any environment
- High efficiency piezoelectric transducer
- **Anti-tampering** and **anti-opening**
- Status LEDs for switching on/off
- Auxiliary power input :12 V DC
- **Easy-fix** mounting bracket for **quick installation**
- Low battery notification via **D'AVINCI App**
- Battery life **up to 5 years**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

DAMA OUTDOOR

- Sound power up to **112 dBA at 1 meter**
- High intensity red or blue flashing light
- Batteries: CR123A - 3V 4 **included**
- **IP55**

DAMA INDOOR

- Sound power up to **100 dBA at 1 meter**
- Batteries: CR123A - 3V 2 **included**

Wireless soft touch + RFID keypad and pre-programmed function keys.

- Operating frequencies: 868.20 Mhz and 868.95 Mhz band
- **Tag transponder reader** 125kHz
- **IP53 - IK07**
- Power supply: 4 batteries AA Li-ion - 1.5 V
- Dimensions 110x160x27 mm
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

White with white LEDs | **CODE D4.005** | **PRICE € 340,00**

Black with green LEDs | **CODE D4.012** | **PRICE € 340,00**



ABS Proximity Tag with keyring
CODE D4.007 | **PRICE € 10,50**



Transponder isocard
CODE D4.008 | **PRICE € 8,50**



Transponder isocard with lanyard
CODE D4.009 | **PRICE € 10,50**



Idea

Touch wireless keypad with RFID key fob and card reader



Automa

CODE **D1.003**
PRICE **€ 250,00**

Wireless repeater with direct connection to Lisa control panel to **extend the radio range up to 3000 meters**.

Suitable for **video signal repetition**.

- Power supply 230 V AC or 12 V DC
- 3.7V battery - 3000 mAh
- **Multiple frequency** operation with free channel selection
- **Anti-tamper** and **anti-opening**
- **Easy-fix** mounting bracket for **quick installation**
- **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

Piro

Smoke detector

- **GENIO** radio protocol
- Configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**

CODE **D2.025**
PRICE **€ 115,00**





Nichi 12/24

Wireless actuator module from 7 to 24 V DC.

CODE **D5.002**

PRICE **€95,00**

Nichi 220

Wireless actuator module 230 V AC.

CODE **D5.004**

PRICE **€95,00**

Provides a configurable NC or NO clean contact relay to command any electrical equipment (solenoid lock, irrigation valves, etc.)

- Antenna
- Power supply Clamps
- Contact Clamps
- Signalling **LED indicator**
- Dimensions: 29x35x23 mm
- **GENIO** radio protocol

- Roller shutter position memory function (open/closed/regulated)
- It can be controlled locally and remotely through **app D'AVINCI** via simple functions and scenarios
 - Dimensions 51x57x18 mm
 - **GENIO** radio protocol
- Parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**



Guelfa

CODE **D5.006**

PRICE **€139,00**

Radio **actuator module for shutters**. 220V power supply, for up/down buttons and motor outputs, control circuit with interlock.



Arco 230

Recessed indoor proximity key reader **230 V AC**

CODE D4.010
PRICE €180,00

- Power supply 230 V AC
- Tag transponder reader 125kHz
- Integrated magnetic buzzer
- RGB status LED
- Keystone mounting
- Designed to support a transponder key

wireless recessed indoor proximity key reader

- Power supply: 1 x CR123A – 3V
- Tag transponder reader 125kHz
 - Integrated magnetic buzzer
 - RGB status LED
 - Keystone mounting
 - 2 configurable inputs
- Designed to support a transponder key

Arco

CODE D4.006
PRICE €190,00



GENIO radio protocol; parameter configuration through **D'AVINCI App via Cloud**, device pairing with **QR code scanning**.



D'AVINCI

security products

Cutting-edge technology and design

D'AVINCI Security Products Srl
Via Antonio Tolomeo Trivulzio, 1
20146 - Milano (MI)

P.IVA 12908830966

www.davincisecurity.eu

info@davincisecurity.it

Help Desk +39 080 321 00 09

Cel +39 329 54 61 510